


6

MASKING AND WIPING PRODUCTS



6.1 MASKING TAPE

Norton masking tape has been designed to meet the high standards of performance, saving time for the user, providing always an excellent result. It conforms easily to contours and to irregular surfaces and is resistant to temperatures up to 100°C (30 minutes).



FEATURES

Rubber solvent based adhesive

Saturated paper backing

BENEFITS


Good adhesion on all surfaces
Heat resistant up to 100°C (30 minutes)
Excellent resistance to paint and thinners
Easy removal without adhesive residue
Well adaptable to most surfaces
Compatible with most common paints and lacquers
Removable without breaking
Hand tearable

Dimensions	Article N°	
19 mm x 50 m	699573 94601	48
24 mm x 50 m	699573 94602	36
36 mm x 50 m	699573 94603	24
48 mm x 50 m	699573 94604	20

It exhibits no bleed-through, or seepage and leaves no residue when removed.

6.2 'Blue' Decoration adhesive tapes

The 'blue' decoration adhesive tapes are designed for the demarcation of the most delicate paint work. This tape adheres to and conforms easily to contours and irregular surfaces. It's unique thickness allows for minimum edge build-up and leaves no residue when removed.



FEATURES

Vinyl backing

0.13mm thickness

Elongation 150%

BENEFITS

Does not leave adhesive behind
Accurate demarcation of the area to paint
Excellent flexibility

Dimensions	Article N°	
3.2 mm x 33 m	636425 72018	12
6.3 mm x 33 m	636425 72014	12
12.7 mm x 33 m	636425 72012	12

6.3 KRAFT MASKING PAPER

Norton offers a wide range of quality masking paper (40g/m²), which is resistant to solvents.



Dimensions	Article N°	
200 mm x 225 m	636425 50342	1
300 mm x 225 m	076607 0925	1
450 mm x 225 m	076607 0927	1
700 mm x 225 m	076607 0926	1
900 mm x 225 m	076607 0928	1
1200 mm x 225 m	076607 0929	1

Dimensions	Article N°	
700 mm x 700 m	699573 71435	1
900 mm x 700 m	699573 71437	1
1200 mm x 700 m	699573 71439	1

APPLICATION TIPS
How to use the masking paper:
Apply the smooth surface of the paper against the bodywork – rough surface facing outwards to absorb any excess of paint or dust particles.

6.4 PLASTIFILM

Norton Plastifilm provides the perfect solution, the 'total screen' to protect the bodywork of cars from sprays of primer, paint or varnish. Norton Plastifilm has been specially designed for automotive repair use and complies with current health and safety regulations.



FEATURES

Easy to fix and reposition facilitated by the adhesive strip
 Easy to tear
 Resistant to tension and handling
 Economical
 Transparent

BENEFITS

One man can do the job – time saving
 Paint sticks to plastifilm, no splashing
 Larger parts can be re-used for protection of smaller parts
 Possible to move the car within the bodyshop

Dimensions	Article N°	
0.6 x 22.5 m	076607 0967	20
1.2 x 22.5 m	076607 0968	20
4.0 x 22.5 m	076607 0969	16
Quick cutter tool	076607 08055	50

6.5 OTHER ADHESIVE TAPES



Electrical insulation

Dimension	Description	Colour	Article N°	
15 x 10 m	Tube of 505	Assortment of 10 colours	076607 17713	20
15 x 10 m	Roll of 505	Black	076607 17710	200
19 x 20 m	Roll of 505	Black	076607 17712	40
19 x 33 m	Roll of 507	Black	699573 71415	20

Polyethylene tape - 357

Dimensions	Article N°	
50 mm x 50 m	076607 17720	24

Double-sided polyurethane foam – thickness 0.8 mm

Dimensions	Article N°	
15 mm x 3 m	076607 17722	20
6 mm x 10 m	636425 49885	8
12 mm x 10 m	076607 07953	8
19 mm x 10 m	636425 65984	8
25 mm x 10 m	076607 17747	8

6.6 WIPING

Wiping is applied at every stage of the sanding-paint process to remove dust particles or residues from the paint surface. The combination of high quality Norton abrasives and wiping products increase the quality of the final painting.



We can distinguish 2 types of wiping products:

- Tack rags: wipes impregnated with resin to eliminate dust.
- Solvent or polishing cloths: dry rag to eliminate polish residues, to clean the body surface or for cleaning paint tools.

Cotton Tack Rags

This tack rag is made with natural cotton gauze, containing 15 threads by square inch. The special weaving structure allows it to catch very small particles.

FEATURES	BENEFITS
100% bleached cotton (15 threads / sq inch) coated with an adhesive resin	Flexible Good particle retention
Solvents and silicon free	Environmental friendly



Dimensions	Article N°	
650 x 750 mm	07660708050	100

Non-Woven Tack rags

Excellent product to collect very small particles or accumulation of dust. The blue non-woven tack rag is used at the cataphoresis exit, in the production workshop and between each coat, providing a perfect surface finish prior to painting.

FEATURES	BENEFITS
Non-woven (Blue) impregnated with resin	Eliminates and absorbs small particles and invisible dust
Polyester "non-woven"	Strong / Tear-resistant Limits the transfer of resin on the surface



Dimensions	Article N°	
320x400mm	07660708051	100

Special Solvent Wipes

These wipes are used for quickly removing polishing residues, improving brightness of the surface without cutting into the coating.

FEATURES	BENEFITS
Strong non-woven white wipes	Tear-resistant
Available in dispenser bucket	Easy in use (refills)

Descriptions	Dimensions	Article N°	
Dispenser bucket of 200 wipes		69957364051	1
Box of 200 solvent wipes (refill)	160 x 400 mm	69957364052	1



Wiping/Buffering Cloths

FEATURES	BENEFITS
Available in dispenser bucket	Easy in use (refills)

Descriptions	Dimensions	Article N°	
Bucket of 300 buffing cloths	320 x 400 mm	07660718946	1
Box of 300 buffing cloths (refill)	320 x 400 mm	07660718290	1



MicroNett Fibre cloth

MicroNett can be used dry or slightly damp to remove dirt. It absorbs greasy marks and removes dust. Multi-purpose product for many different applications like:

- Dusting
- Drying
- Polishing
- Applying wax

FEATURES	BENEFITS
Polyester micro fibres	Very absorbent material
	Can be used dry or wet
	Absorbs dust and water very easily

Dimensions	Article N°	
400 x 370 mm	07660707984	25



